

Test Verification of Conformity


Verification Number: 240612096GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant <EU > legislation and mandatory Conformity Marking. And in accordance with EU / UK law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	SHENZHEN POWEROAK NEWENER CO., LTD. F19, BLD No.1, Kaider, Tongsha Rd No.168, Xili Street, Nanshan, Shenzhen, China
Product Description:	Energy Storage System
Ratings & Principle Characteristics:	See Appendix: Test Verification of Conformity
Models/Type References:	EP2000
Brand Name:	BLUETTI
Relevant Standards:	IEC/EN 62109-1: 2010 Safety of power converters for use in photovoltaic power systems – Part 1: General requirements IEC/EN 62109-2: 2011 Safety of power converters for use in photovoltaic power systems – Part 2: Particular requirements for inverters Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch. Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	13 July 2024 to 19 September 2024
Test Report Number(s):	240612096GZU-004, 08 Nov.2024 240612096GZU-005, 08 Nov.2024

Additional information in Appendix.



Signature

Name: Jason Fu

Position: Supervisor

Date: 12 November 2024


This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 240612096GZU-VOC001.

Ratings & Principle
Characteristics:

PV Ratings:
Max. PV Input Power: 30000W;
Max. PV Input Voltage: 1000 d.c.V;
MPPT Operating Voltage Range: 160 – 850 d.c.V;
Rated PV Input Current: 15 d.c.A *4;
Max. short-circuit current: 20 d.c.A *4;
Max. Inverter Backfeed Current to Array: 0.005 d.c.mA
Battery rating:
Battery type: LiFePO4;
Battery voltage range: 160 – 800 d.c.V;
Battery Max. Charging Current: 60 d.c.A;
Battery Max. Discharging Current: 60 d.c.A
Grid:
Rated Grid Voltage: 230/400 a.c.V, 3L/N/PE
Rated Grid Frequency: 50 Hz
Max. Power from Grid: 40000 VA
Max. Current from Grid: 60 a.c.A
Rated Power Output to Grid: 20000 VA
Rated Current Output to Grid: 29 a.c.A
Power Factor Range: -0.8~0.8
Back-up:
Rated Voltage: 230/400 a.c.V, 3L/N/PE
Rated Frequency: 50 Hz
Rated Output Power: 20000 VA
Rated Output Current: 29 a.c.A.
Power Factor Range: -0.8~0.8
General Parameters:
Ingress Protection: IP65
Temperature range: -20°C ~ 60 °C (Derating Above 45°C);
Protection class: Class I
Overvoltage Category: PV(II), AC(III)
The Software version: 503002
The Hardware version: EP2000_M1 V9.0\ES203_M2 V7.0\EP2000_M3 V9.0\EP2000_M4 V9.0 \EP2000_U1 V8.0 \ES203_A3 V3.0 \EP2000_A1 V3.0



Signature

Name: Jason Fu
Position: Supervisor
Date: 12 November 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.